

# JPRS CA Certificate Policy Version 3.10

Mar 2. 2022

Japan Registry Services Co., Ltd.

Version History		
Version Number	Date	Description
1.00	2019.06.17	Publication of the first version
1.10	2019.09.25	Revision of “3.2.2.4 Validation of Domain Authorization or Control” (adding the additional information of “ general e-mail address indicating an administrator”
1.20	2020.04.01	Revision due to Mozilla Root Store Policy (v2.7)
1.30	2020.07.10	Revision of “7.1.2 Subordinate CA Certificate Profile”
2.00	2020.07.22	Revision of “7. Certificate, CRL, and OCSP Profiles”
2.10	2020.08.20	Revision of the maximum validity period of certificate
2.20	2020.10.06	Revision of “3.2.2.4 Validation of Domain Authorization or Control”
2.21	2021.04.01	Revision of the date and version
2.22	2021.04.28	Revision due to Mozilla Root Store Policy (v2.7.1)
2.23	2021.05.27	<ul style="list-style-type: none"> <li>· Clarification of “3.2.2.4 Validation of Domain Authorization or Control”</li> <li>· Delete the description of invalid Subordinate CAs from “7. Certificate, CRL, and OCSP Profiles”.</li> </ul>
2.30	2021.11.18	<ul style="list-style-type: none"> <li>· Revision of “3.2.2.4.18 Agreed-Upon Change to Website v2”</li> <li>· Sunset of “subject:organizationalUnitName”</li> </ul>
3.00	2021.12.08	Revisions due to new service provision
3.20	2022.03.02	Add a reference to the new terms and conditions

**\*Note**

This “JPRS CA Certificate Policy” of Japan Registry Services Co., Ltd. (hereinafter referred to as the “JPRS”) is an unofficial translation provided as reference, and only the Japanese texts of the statement have legal effect. Please kindly note that JPRS does not guarantee the accuracy of this English translation in comparison to the original statement in the Japanese language. JPRS may provide the revised English translation with the date of revision for the same version of “JPRS CA Certificate Policy.” If the new version of “JPRS CA Certificate Policy” is published, please stop referencing/using this document.

## Table of Contents

1. Introduction .....	9
1.1 Overview .....	9
1.2 Document Name and Identification .....	10
1.3 PKI Participants .....	10
1.3.1 CA .....	10
1.3.2 RA .....	10
1.3.3 Subscribers .....	10
1.3.4 Relying Parties .....	10
1.3.5 Other Participants .....	11
1.4 Certificate Usage .....	11
1.4.1 Appropriate Certificate Uses .....	11
1.4.2 Prohibited Certificate Uses.....	11
1.5 Policy Administration .....	11
1.5.1 Organization Administering the Document.....	11
1.5.2 Contact Information.....	11
1.5.3 Person Determining CP Suitability as Policy .....	11
1.5.4 Approval Procedures .....	11
1.6 Definitions and Acronyms .....	11
2. Publication and Repository Responsibilities.....	17
2.1 Repository .....	17
2.2 Publication of Information .....	17
2.3 Time or Frequency of Publication .....	17
2.4 Access Controls on Repositories .....	17
3. Identification and Authentication .....	18
3.1 Naming.....	18
3.1.1 Types of Names .....	18
3.1.4 Rules for Interpreting Various Name Forms .....	18
3.1.5 Uniqueness of Names.....	18
3.1.6 Recognition, Authentication, and Roles of Trademarks .....	18
3.2 Initial Identity Validation .....	18
3.2.1 Method to Prove Possession of a Private Key .....	18
3.2.2 Authentication of Organization and Domain Identity.....	19
3.2.2.1 Authentication of Organization Identity .....	19
3.2.2.2 DBA/Tradename .....	19
3.2.2.3 Verification of a Country .....	19

3.2.2.4 Validation of Domain Authorization or Control .....	19
3.2.3 Authentication of Individual Identity .....	22
3.2.4 Non-Verified Subscriber Information .....	22
3.2.5 Validation of Authority.....	22
3.2.6 Criteria for Interoperation.....	23
3.3 Identification and Authentication for Re-key Requests.....	23
3.4 Identification and Authentication for Revocation Request.....	23
4. Certificate Life-Cycle Operational Requirements .....	24
4.1 Certificate Application.....	24
4.1.1 Who Can Submit a Certificate Application .....	24
4.1.2 Enrollment Process and Responsibilities .....	24
4.2 Certificate Application Processing .....	24
4.2.1 Performing Identification and Authentication Functions .....	24
4.2.2 Approval or Rejection of a Certificate Application.....	24
4.2.3 Time to Process Certificate Applications.....	24
4.2.4 Check of CAA Records.....	25
4.3 Certificate Issuance .....	25
4.3.1 CA Actions during Certificate Issuance .....	25
4.3.2 Notification to Subscriber of Certificate Issuance .....	25
4.4 Certificate Acceptance .....	25
4.4.1 Conduct Constituting Certificate Acceptance .....	25
4.4.2 Publication of the Certificates by the CA.....	25
4.4.3 Notification of Certificate Issuance by the CA to Other Entities.....	25
4.5 Key Pair and Certificate Usage.....	25
4.5.1 Subscriber Private Key and Certificate Usage .....	26
4.5.2 Relying Party Public Key and Certificate Usage.....	26
4.6 Certificate Renewal .....	26
4.6.1 Circumstances for Certificate Renewal.....	26
4.6.2 Who May Request Renewal .....	26
4.6.3 Processing Certificate Renewal Requests .....	26
4.6.4 Notification of New Certificate Issuance to Subscriber.....	26
4.6.5 Conduct Constituting Acceptance of a Renewal Certificate.....	26
4.6.6 Publication of the Renewal Certificate by the CA .....	26
4.6.7 Notification of Certificate Issuance by the CA to Other Entities.....	27
4.7 Certificate Re-key .....	27
4.7.1 Circumstances for Certificate Re-key.....	27

4.7.2 Who May Request Certification of a New Public Key .....	27
4.7.3 Processing Certificate Re-keying Requests.....	27
4.7.4 Notification of New Certificate Issuance to Subscriber.....	27
4.7.5 Conduct Constituting Acceptance of a Re-keyed Certificate.....	27
4.7.6 Publication of the Re-keyed Certificates by the CA.....	27
4.7.7 Notification of Certificate Issuance by the CA to Other Entities.....	27
4.8 Certificate Modification.....	27
4.8.1 Circumstances for Certificate Modification .....	27
4.8.2 Who May Request Certificate Modification .....	28
4.8.3 Processing Certificate Modification Requests.....	28
4.8.4 Notification of New Certificate Issuance to Subscriber.....	28
4.8.5 Conduct Constituting Acceptance of Modified Certificate.....	28
4.8.6 Publication of the Modified Certificate by the CA.....	28
4.8.7 Notification of Certificate Issuance by the CA to Other Entities.....	28
4.9 Certificate Revocation and Suspension .....	28
4.9.1 Circumstances for Certificate Revocation.....	28
4.9.2 Who Can Request Revocation.....	29
4.9.3 Procedures for Revocation Request .....	29
4.9.5 Time within Which the CA Shall Process the Revocation Request.....	29
4.9.6 Revocation Checking Requirement for Relying Parties .....	29
4.9.7 CRL Issuance Frequency .....	29
4.9.8 Maximum Latency for CRLs.....	30
4.9.9 On-line Revocation/Status Checking Availability.....	30
4.9.10 On-line Revocation/Status Checking Requirements .....	30
4.9.11 Other Forms of Revocation Advertisements Available .....	30
4.9.12 Special Requirements Regarding Key Compromise .....	30
4.9.13 Circumstances for Suspension.....	30
4.9.14 Who Can Request Suspension .....	30
4.9.15 Procedures for Suspension Request .....	30
4.9.16 Limits on Suspension Period .....	31
4.10 Certificate Status Services .....	31
4.10.1 Operational Characteristics.....	31
4.10.2 Service Availability.....	31
4.10.3 Optional Features .....	31
4.11 End of Subscription (Registration).....	31
4.12 Key Escrow and Recovery .....	31

4.12.1 Key Escrow and Recovery Policy and Practices.....	31
4.12.2 Session Key Encapsulation and Recovery Policy and Practices .....	31
5. Facility, Management, and Operational Controls .....	32
5.1 Physical Security Controls .....	32
5.2 Procedural Controls.....	32
5.3 Personnel Controls.....	32
5.4 Audit Logging Procedures .....	32
5.4.1 Types of Events Recorded .....	32
5.4.2 Frequency of Processing Audit Log .....	32
5.4.3 Retention Period for Audit Log.....	32
5.4.4 Protection of Audit Log .....	32
5.4.5 Audit Logs Backup Procedure .....	32
5.4.6 Audit Log Collection System.....	32
5.4.7 Notification to Event-Causing Subject.....	32
5.4.8 Vulnerability Assessments.....	32
5.5 Records Archival .....	32
5.5.1 Types of Records Archived .....	32
5.5.2 Retention Period for Archive .....	33
5.5.3 Protection of Archive .....	33
5.5.4 Archive Backup Procedures .....	33
5.5.5 Requirements for Time-Stamping of Records .....	33
5.5.6 Archive Collection System .....	33
5.5.7 Procedures to Obtain and Verify Archive Information .....	33
5.6 Key Changeover.....	33
5.7 Compromise and Disaster Recovery .....	33
5.8 CA or RA Termination .....	34
6. Technical Security Controls.....	35
6.1 Key Pair Generation and Installation .....	35
6.1.1 Key Pair Generation .....	35
6.1.2 Private Key Delivery to Subscriber .....	35
6.1.3 Public Key Delivery to the Certificate Issuer .....	35
6.1.4 CA' Public Key Delivery to Relying Parties.....	35
6.1.5 Key Sizes .....	35
6.1.6 Public Key Parameters Generation and Quality Checking.....	35
6.1.7 Key Usage Purposes.....	35
6.2 Private Key Protection and Cryptographic Module Engineering Controls.....	36

6.3 Other Aspects of Key Pair Management.....	36
6.4 Activation Data .....	36
6.5 Computer Security Controls.....	36
6.6 Life Cycle Technical Controls.....	36
6.7 Network Security Controls.....	36
6.8 Time Stamping.....	36
7. Certificate, CRL, and OCSP Profiles.....	37
7.1 Certificate Profile.....	37
7.1.1 Subscriber Certificate Profile .....	37
7.1.2 Subordinate CA Certificate Profile.....	40
7.2 CRL Profile.....	41
7.3 OCSP Profile .....	42
7.3.1 Version Number(s) .....	43
7.3.2 OCSP Extensions .....	43
8. Compliance Audit and Other Assessments .....	44
8.1 Frequency and Circumstances of Assessment.....	44
8.2 Identity/Qualifications of Assessor .....	44
8.3 Assessor’s Relationship to Assessed Entity .....	44
8.4 Topics Covered by Assessment .....	44
8.5 Actions Taken as a Result of Deficiency .....	44
8.6 Communication of Results .....	44
8.7 Self-Audits.....	44
9. Other Business and Legal Matters.....	46
9.1 Fees .....	46
9.2 Financial Responsibility.....	46
9.3 Confidentiality of Business Information .....	46
9.3.1 Scope of Confidential Information.....	46
9.3.2 Information not within the Scope of Confidential Information .....	46
9.3.3 Responsibility to Protect Confidential Information.....	46
9.4 Privacy of Personal Information .....	46
9.5 Intellectual Property Rights.....	46
9.6 Representations and Warranties .....	46
9.6.1 CA Representations and Warranties .....	46
9.6.2 RA Representations and Warranties .....	47
9.6.3 Subscriber Representations and Warranties .....	47
9.6.4 Relying Party Representations and Warranties .....	47

9.6.5 Representations and Warranties of Other Participants.....	47
9.7 Disclaimer of Warranties.....	47
9.8 Limitations of Liability.....	47
9.9 Indemnities .....	48
9.10 Term and Termination.....	48
9.10.1 Term.....	48
9.10.2 Termination .....	48
9.10.3 Effect of Termination and Survival .....	49
9.11 Individual Notices and Communications with Participants.....	49
9.12 Amendments .....	49
9.12.1 Procedure for Amendment.....	49
9.12.2 Notification Mechanism and Period.....	49
9.12.3 Circumstances under Which OID Must Be Changed .....	49
9.13 Dispute Resolution Provisions .....	49
9.14 Governing Law.....	49
9.15 Compliance with Applicable Laws .....	49
9.16 Miscellaneous Provisions.....	50
9.17 Other Provisions .....	50



# 1. Introduction

## 1.1 Overview

This document, the JPRS CA Certificate Policy (hereinafter referred to as “this CP”), stipulates policies regarding the usages, purposes of use, scope of application, etc. of Digital Certificates to be issued by Japan Registry Services Co., Ltd. (hereinafter referred to as “JPRS”) as a Certification Authority (hereinafter referred to as the “CA”), for the purpose of providing the JPRS Digital Certificate Issuance Services (hereinafter referred to as the “Services”).

Various procedures regarding the operation and maintenance of the CA are stipulated in the JPRS CA Certification Practice Statement (hereinafter referred to as the “CPS”).

A certificate for one-way and mutual certification has been issued to the CA by Security Communication RootCA2, a Certification Authority operated by SECOM Trust Systems Co., Ltd. (hereinafter referred to as “SECOM Trust Systems”), and the CA is authorized to issue certificates to Subscribers.

Certificates issued by the CA are used for encrypting information for server authentication and on communication pathways. Each certificate has a validity period of three hundred ninety-seven (397) days or less, commencing from the day the certificate comes into effect. “The Terms and Conditions of JPRS Digital Certificate Issuance Services” and “The Terms and Conditions of JPRS Digital Certificate Issuance Services for ACME” (hereinafter, both will be referred to as the “Terms and Conditions”) stipulate the servers to be covered by the issuance of such certificates.

Each person who intends to have a certificate issued by the CA is required to consider the Terms and Conditions, this CP, and the CPS in light of his/her/its own purposes of use, and then to consent to the Terms and Conditions, this CP, and the CPS.

The CA conforms to the “Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates” (hereinafter referred to as the “Baseline Requirements”) published by CA/Browser Forum at <https://www.cabforum.org/>, and RFC 5280 “Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile.”

If any inconsistency is found among the provisions of this CP, the Terms and Conditions, and the CPS, the provisions of the Terms and Conditions shall prevail over those of this CP and the CPS, and the provisions of this CP shall prevail over those of the CPS.

This CP conforms to the RFC 3647 “Internet X.509 Public Key Infrastructure Certificate Policy and Certification Practices Framework” advocated by the IETF as a framework for the operation of Certification Authorities.

With any developments or improvements pertaining to the CA in terms of technologies or operation, this CP shall be revised, as needed, in order to reflect such developments or improvements.

## 1.2 Document Name and Identification

The official name of this CP is the “JPRS CA Certificate Policy.”

Following are an Object Identifier (hereinafter referred to as “OID”) assigned by the CA under this CP, and an OID of the CPS referenced by this CP:

Name	OID
JPRS CA Certificate Policy (CP)	1.3.6.1.4.1.53827.1.1.4
JPRS CA Certification Practice Statement (CPS)	1.3.6.1.4.1.53827.1.2.4

## 1.3 PKI Participants

### 1.3.1 CA

“CA” stands for “Certification Authority,” an entity that mainly issues and revokes certificates, discloses revocation information, provides and stores information on the certificate status using the OCSP (Online Certificate Status Protocol) server, generates and protects the CA’s own Private Keys, and registers Subscribers.

### 1.3.2 RA

“RA” stands for “Registration Authority,” an entity that mainly performs reviews to verify the existence and validate the identities of applicants who apply for the issuance or revocation of certificates, registers information necessary for issuing certificates, and requests the CA to issue certificates, among the operations of the CA. The CA acts as an RA.

### 1.3.3 Subscribers

“Subscribers” means an individual, corporation, or organization that has been issued a certificate by the CA and uses the certificate.

### 1.3.4 Relying Parties

A “Relying Party” means an individual, corporation, or organization that verifies the validity of certificates issued by the CA.

### **1.3.5 Other Participants**

No stipulation.

## **1.4 Certificate Usage**

### **1.4.1 Appropriate Certificate Uses**

Certificates issued by the CA are used to encrypt information for server authentication and on communication pathways.

### **1.4.2 Prohibited Certificate Uses**

Certificates issued by the CA may be used solely as set forth in “1.4.1 Appropriate Certificate Uses,” and may not be used for any other purposes.

## **1.5 Policy Administration**

### **1.5.1 Organization Administering the Document**

This CP shall be maintained and administered by the CA.

### **1.5.2 Contact Information**

Inquiries concerning this CP should be directed to:

Contact: Inquiries contact office, Japan Registry Services Co., Ltd.

Address: Chiyoda First Bldg. East 13F, 3-8-1 Nishi-Kanda, Chiyoda-ku, Tokyo 101-0065  
JAPAN

E-mail: info@jprs.jp

If a compromise or unauthorized use of any Private Key or any other trouble pertaining to a certificate issued by the CA is revealed, please notify via the following webform:

[https://jprs.jp/pubcert/f\\_mail/](https://jprs.jp/pubcert/f_mail/)

### **1.5.3 Person Determining CP Suitability as Policy**

The details of this CP shall be determined by the CA’s Certificate Operation Conference.

### **1.5.4 Approval Procedures**

This CP shall come into effect upon approval of the CA’s Certificate Operation Conference.

## **1.6 Definitions and Acronyms**

(1) “あ” ~ “ん”

アーカイブ (Archive)

“Archive” means information acquired for the purpose of keeping a history for any legal or other reason.

エスクロー (Escrow)

“Escrow” means the placement (entrustment) of an asset in the control of an independent third party.

鍵ペア (Key Pair)

A “Key Pair” means a pair consisting of a Private Key and Public Key in a public key cryptosystem.

監査ログ (Audit Log)

An “Audit Log” is a log of actions, accesses, and other histories pertaining to Certification Authority systems that are recorded for the purpose of monitoring accesses to, and unauthorized operations of, Certification Authority systems.

公開鍵 (Public Key)

A “Public Key” means a key of a Key Pair used in a public key cryptosystem. A Public Key corresponds to a certain Private Key and is disclosed to the other party to communication.

指定事業者 (JPRS Partners)

“JPRS Partners” mean business enterprises authorized by JPRS in connection with the Digital Certificate Issuance Services to be provided by JPRS.

私有鍵 (Private Key)

A “Private Key” means a key of a Key Pair used in a public key cryptosystem. A Private Key corresponds to a certain Public Key and is possessed only by the person in question. A Private Key may be referred to as a “secret key.”

タイムスタンプ (Time Stamp)

“Time Stamp” means recorded data indicating dates and times when, for example, electronic files have been prepared and a system has performed processing.

電子証明書 (Digital Certificates)

A “Digital Certificate” means digital data certifying that a Public Key is possessed by the party specified in the data. The validity of a Digital Certificate is assured by a digital signature of the relevant CA affixed to the Digital Certificate.

ランダム値 (Random Value)

A value specified by a CA to the Applicant that exhibits at least 112 bits of entropy.

リポジトリ (Repository)

The “Repository” means the database in which CA certificates, CRLs, and others are stored and published.

**(2) “A” ~ “Z”**

ACME (Automated Certificate Management Environment)

“ACME” stands for “Automated Certificate Management Environment”, a protocol that a CA and an applicant can use to automate the process of verification and certificate issuance. This Protocol is specified in RFC 8555.

Authorization Domain Name

The Domain Name used to obtain authorization for certificate issuance for a given FQDN. The CA may use the FQDN returned from a DNS CNAME lookup as the FQDN for the purposes of domain validation. If the FQDN contains a wildcard character, then the CA MUST remove all wildcard labels from the left most portion of requested FQDN. The CA may prune zero or more labels from left to right until encountering a Base Domain Name and may use any one of the intermediate values for the purpose of domain validation.

Base Domain Name

The portion of an applied-for FQDN that is the first domain name node left of a registry-controlled or public suffix plus the registry-controlled or public suffix (e.g. "example.co.uk" or "example.com"). For FQDNs where the right-most domain name node is a gTLD having ICANN Specification 13 in its registry agreement, the gTLD itself may be used as the Base Domain Name.

CA (Certification Authority)

“CA” stands for “Certification Authority,” an entity that mainly issues, renews, and

revokes certificates, discloses information on certificate revocation, provides and stores information on the status of certificates using the OCSP (Online Certificate Status Protocol) server, generates and protects the CA's own Private Keys, and registers Subscribers.

#### CAA (Certificate Authority Authorization)

“CAA” stands for “Certificate Authority Authorization,” a function to prevent unintended erroneous issuance of certificates from unauthorized Certification Authorities in connection with the authority to use a domain by adding information to the DNS record in order to specify the Certification Authority authorized to issue a certificate for the domain. This function is stipulated in RFC 6844.

#### CP (Certificate Policy)

“CP” stands for “Certificate Policy,” a document that sets forth policies regarding certificates to be issued by the CA, such as the types of certificates, the servers for which certificates may be issued, the usages of certificates, procedures for applying for the issuance of certificates, and the criteria for such issuance.

#### CPS (Certification Practices Statement)

“CPS” stands for “Certification Practice Statement,” a document that sets forth provisions to be followed in operating the CA, such as various operational procedures and security standards.

#### CRL (Certificate Revocation List)

“CRL” stands for “Certificate Revocation List,” a list of information about certificates revoked during their period of validity for any reason, including changes in the particulars described in the certificates or the compromise of any Private Keys.

#### CT (Certificate Transparency)

“CT” stands for “Certificate Transparency,” a scheme stipulated in RFC 6962 to register and publish information about certificates on a log server (CT log server) for the purpose of monitoring and auditing information about issued certificates.

#### FIPS 140-2

“FIPS 140-2” are a set of security accreditation criteria for cryptographic modules developed by the United States NIST (National Institute of Standards and Technology).

Four levels, from Level 1 (the lowest) to Level 4 (the highest), have been defined.

HSM (Hardware Security Module)

“HSM” stands for “Hardware Security Module,” a tamper-resistant encryption device to be used for generating, storing, using, or otherwise handling Private Keys for the purpose of maintaining security.

NTP (Network Time Protocol)

“NTP” stands for “Network Time Protocol,” a protocol designed to synchronize the internal clocks of computers over a network.

OID (Object Identifier)

“OIDs” stands for “Object Identifiers,” numerals registered in international registration institutions as unique IDs among global networks within a framework for maintaining and administering the connectivity of networks and the uniqueness of services or the like.

OCSP (Online Certificate Status Protocol)

“OCSP” stands for “Online Certificate Status Protocol,” a protocol for providing information on the status of a certificate in real time.

PKI (Public Key Infrastructure)

“PKI” stands for “Public Key Infrastructure,” an infrastructure for using the encryption technology known as a public key cryptosystem to realize security technologies such as digital signatures, encryption, and certification.

RA (Registration Authority)

“RA” stands for “Registration Authority,” an entity that mainly performs reviews to verify the existence and validate the identities of applicants who apply for the issuance or revocation of certificates, registers information necessary for issuing certificates, and requests the CA to issue certificates, among the operations of the CA.

RFC 3647 (Request for Comments 3647)

“RFC 3647” stands for “Request for Comments 3647,” a document defining the framework for CP and CPS published by the IETF (Internet Engineering Task Force), an industry group that establishes technical standards for the Internet.

RFC 5280 (Request for Comments 5280)

“RFC 5280” stands for “Request for Comments 5280,” a document defining the public key infrastructure published by the IETF (Internet Engineering Task Force), an industry group that establishes technical standards for the Internet.

RSA

“RSA” is one of the most standard encryption technologies. RSA IS widely used as a public key cryptosystem.

SHA-1 (Secure Hash Algorithm 1)

“SHA-1” stands for “Secure Hash Algorithm 1,” one of the hash functions (summarization functions) used in digital signing. A hash function is a computation technique for generating a fixed-length bit string from a given text. The bit length is one hundred sixty (160) bits. The algorithm works to detect any alterations in an original message during its transmission by comparing the hash values transmitted and received.

SHA-256 (Secure Hash Algorithm 256)

“SHA-256” stands for “Secure Hash Algorithm 256,” one of the hash functions (summarization functions) used in digital signing. The bit length is two hundred fifty-six (256) bits. The algorithm works to detect any alterations in an original message during its transmission by comparing the hash values transmitted and received.



## **2. Publication and Repository Responsibilities**

### **2.1 Repository**

The CA shall maintain and manage the Repository to allow access to the same twenty-four (24) hours a day, three hundred sixty-five (365) days a year. Note, however, that the Repository may be temporarily unavailable at times for system maintenance or other reasons.

### **2.2 Publication of Information**

The CA shall publish the CRLs, this CP, and the CPS on the Repository to allow online access by Subscribers and Relying Parties.

### **2.3 Time or Frequency of Publication**

This CP and the CPS shall be published on the Repository as revised.

The frequency of CRL issuance is specified in Section 4.9.7.

### **2.4 Access Controls on Repositories**

The CA does not exercise any specific access control over information published on the Repository. The CA's CRLs shall be made available to Subscribers and Relying Parties through the Repository. Access to the Repository shall be granted through a general Web interface.

## **3. Identification and Authentication**

### **3.1 Naming**

#### **3.1.1 Types of Names**

The name of each Subscriber to be described in certificates to be issued by the CA shall be configured according to the Distinguished Name (DN) format for the X.500 series recommendations (recommendations formulated by the International Telecommunication Union Telecommunication Standardization Sector (ITU-T)). 3.1.2 Need for Names to Be Meaningful

The information included in certificates issued by the CA and their meanings are specified in Section 7.1.1.3.1.3 Anonymity or Pseudonymity of Subscribers

No name identical to any anonym or pseudonym used in any certificate to be issued by the CA may be registered.

#### **3.1.4 Rules for Interpreting Various Name Forms**

The Distinguished Name (DN) format of the X.500 series shall stipulate the rules for interpreting various name forms and shall be complied with accordingly.

#### **3.1.5 Uniqueness of Names**

The attribute of a Distinguished Name (DN) to be described in a certificate to be issued by the CA shall be unique to the server covered by the issuance.

#### **3.1.6 Recognition, Authentication, and Roles of Trademarks**

The CA does not verify whether an applicant holds any intellectual property right to the name described in a certificate application. No Subscriber may submit to the CA a certificate application with any registered trademark or associated name of any third party. If any dispute arises between a Subscriber and any third party in connection with a registered trademark or the like, the CA will not undertake to arbitrate or settle the dispute. The CA is entitled to reject a Subscriber's certificate application or to revoke an issued certificate on account of such a dispute.

### **3.2 Initial Identity Validation**

#### **3.2.1 Method to Prove Possession of a Private Key**

A Subscriber's possession of a Private Key is proved by verifying the signature on the relevant Certificate Signing Request (hereinafter referred to as "CSR") and confirming that the CSR has been signed with the Private Key corresponding to the Public Key

contained in the CSR.

## **3.2.2 Authentication of Organization and Domain Identity**

### **3.2.2.1 Authentication of Organization Identity**

(1) Domain Validation

The CA does not verify the existence of organizations.

(2) Organization Validation

The CA shall verify the existence of organizations by using public documents issued by, or Web pages or Web page databases of, the relevant country or local public entity, or using inquiries made by any third party that is deemed reliable by the CA, or the databases of any such third party.

### **3.2.2.2 DBA/Tradename**

If a DBA/tradename is described as the “Organization (organization name)” in a certificate to be issued by the CA, the CA shall verify the information same manner as set forth in “3.2.2.1 Authentication of Organization Identity (2) Organization Validation.”

### **3.2.2.3 Verification of a Country**

The CA shall verify the information on the “Country (country name)” in a certificate to in the same manner as set forth in “3.2.2.1 Authentication of Organization Identity.”

### **3.2.2.4 Validation of Domain Authorization or Control**

The CA SHALL confirm that prior to issuance, the CA has validated each Fully-Qualified Domain Name (FQDN) listed in the Certificate using at least one of the methods listed below;

Subsequent sections 3.2.2.4.1-20 correspond to the section numbers of the methods specified by BR.

#### **3.2.2.4.1 Validating the Applicant as a Domain Contact**

Not applicable

#### **3.2.2.4.2 Email, Fax, SMS, or Postal Mail to Domain Contact**

Confirming the Applicant's control over the FQDN by sending a Random Value via email and then receiving a confirming response utilizing the Random Value. The Random Value MUST be sent to an email address listed in the WHOIS record. The CA does not use fax, SMS, or postal mail to send a Random Values. The Random Value SHALL be unique in each email. The Random Value SHALL remain valid for use in a confirming response for no more than 25 days from its creation.

#### **3.2.2.4.3 Phone Contact with Domain Contact**

Not applicable

#### **3.2.2.4.4 Constructed Email to Domain Contact**

Confirm the Applicant's control over the FQDN by

1. Sending an email to one or more addresses created by using 'admin', 'administrator', 'webmaster', 'hostmaster', or 'postmaster' as the local part, followed by the at-sign ("@"), followed by the Authorization Domain Name; and
2. including a Random Value in the email; and
3. receiving a confirming response utilizing the Random Value.

The Random Value SHALL be unique in each email. The Random Value SHALL remain valid for use in a confirming response for no more than 25 days from its creation.

#### **3.2.2.4.5 Domain Authorization Document**

Not applicable

#### **3.2.2.4.6 Agreed-Upon Change to Website**

Not applicable

#### **3.2.2.4.7 DNS Change**

Confirming the Applicant's control over the FQDN by confirming the presence of a Random Value for either in a DNS TXT record of the Authorization Domain Name that is prefixed with a Domain Label that begins with "\_acme-challenge".

The CA MUST provide a Random Value unique to the certificate request. The Random Value MUST remain valid for use in a confirming response for no more than 25 days from its creation.

#### **3.2.2.4.8 IP Address**

Not applicable

#### **3.2.2.4.9 Test Certificate**

Not applicable

#### **3.2.2.4.10 TLS Using a Random Number**

Not applicable

#### **3.2.2.4.11 Any Other Method**

Not applicable

#### **3.2.2.4.12 Validating Applicant as a Domain Contact**

Confirming the Applicant's control over the FQDN by validating the Applicant is the a registrant of the domain name. This method may only be used if the CA is also the Domain Name Registrar, or an Affiliate of the Registrar, of the Base Domain Name.

#### **3.2.2.4.13 Email to DNS CAA Contact**

Not applicable

#### **3.2.2.4.14 Email to DNS TXT Contact**

Not applicable

#### **3.2.2.4.15 Phone Contact with Domain Contact**

Not applicable

#### **3.2.2.4.16 Phone Contact with DNS TXT Record Phone Contact**

Not applicable

#### **3.2.2.4.17 Phone Contact with DNS CAA Phone Contact**

Not applicable

#### **3.2.2.4.18 Agreed-Upon Change to Website v2**

Confirming the Applicant's control over the FQDN by verifying that the Random Value is contained in the contents of a file.

1. The entire Random Value MUST NOT appear in the request used to retrieve the file, and
2. the CA MUST receive a successful HTTP response from the request (meaning a 2xx HTTP status code must be received).

The file containing the Random Value:

1. MUST be located on the Authorization Domain Name, and
2. MUST be located under the "%well-known/pki-validation" directory, and
3. MUST be retrieved via either the "http" or "https" scheme, and
4. MUST be accessed over port 80 (http) or 443 (https).

If the CA follows redirects, the following apply:

1. Redirects MUST be initiated at the HTTP protocol layer.
  - Redirects MUST be the result of a 301, 302, or 307 HTTP status code response, as defined in RFC 7231, Section 6.4, or a 308 HTTP status code response, as defined in RFC 7538, Section 3.
  - Redirects MUST be to the final value of the Location HTTP response header, as defined in RFC 7231, Section 7.1.2.
2. Redirects MUST be to resource URLs with either the "http" or "https" scheme.
3. Redirects MUST be to resource URLs accessed via port 80 (http) or 443 (https).

The CA MUST provide a Random Value unique to the certificate request. The Random Value MUST remain valid for use in a confirming response for no more than 25 days from its creation.

For Certificates issued on or after 2021-11-18, this method is not applicable for

validating Wildcard Domain Names.

#### **3.2.2.4.19 Agreed-Upon Change to Website - ACME**

Confirming the Applicant's control over a FQDN by validating domain control of the FQDN using the ACME HTTP Challenge method defined in Section 8.3 of RFC 8555. The following are additive requirements to RFC 8555.

1. The CA MUST receive a successful HTTP response from the request (meaning a 2xx HTTP status code must be received).
2. The CA MUST provide a Random Value unique to the certificate request. The Random Value MUST remain valid for use in a confirming response for no more than 25 days from its creation.
3. If the CA follows redirects, the following apply:
  1. Redirects MUST be initiated at the HTTP protocol layer.
    - Redirects MUST be the result of a 301, 302, or 307 HTTP status code response, as defined in RFC 7231, Section 6.4, or a 308 HTTP status code response, as defined in RFC 7538, Section 3.
    - Redirects MUST be to the final value of the Location HTTP response header, as defined in RFC 7231, Section 7.1.2.
  2. Redirects MUST be to resource URLs with either the "http" or "https" scheme.
  3. Redirects MUST be to resource URLs accessed via port 80 (http) or 443 (https).

This method is not applicable for validating Wildcard Domain Names.**3.2.2.4.20 TLS Using ALPN**

Not applicable

### **3.2.3 Authentication of Individual Identity**

The CA does not issue any certificate to grant certification to any individual.

### **3.2.4 Non-Verified Subscriber Information**

(1) Domain Validation

The CA stipulates no policies on non-verified information on Subscribers.

(2) Organization Validation

The CA stipulates no policies on non-verified information on Subscribers, however, and does not assure the accuracy of information described in the “Organizational Unit (organizational unit name)” (OU).

### **3.2.5 Validation of Authority**

(1) Domain Validation

When issuing a certificate, the CA shall verify that the Subscriber is a registrant of the domain name to be described in the certificate or has been granted an exclusive right to use the domain name by the registrant.

(2) Organization Validation

The CA shall verify that an applicant for a certificate has the legitimate authority to apply for a certificate by making contact with a contact person that may be verified by any document, database, or other information source to be used for “3.2.2. Authentication of an Organization’s Identity and Domain Name” of this CP.

### **3.2.6 Criteria for Interoperation**

A certificate for one-way mutual certification has been issued to the CA by Security Communication RootCA2, a Certification Authority operated by SECOM Trust Systems.

### **3.3 Identification and Authentication for Re-key Requests**

The CA shall perform validate and authenticate the identity of any Subscriber at a rekey in the same manner as set forth in “3.2 Initial Identity Validation” of this CP.

### **3.4 Identification and Authentication for Revocation Request**

The CA shall validate an identity in order to accept Revocation Request by check one of the following;

1. The Revocation Request from any Subscriber through the Designated Business Enterprise that has acted as an agent in the application for issuance of the certificate or use of services.
2. The certificate issued under ACME protocol and the Revocation Request is signed by private key of the account granted to the subscriber.
3. The certificate issued under ACME protocol and the Revocation Request is signed by private key of the certificate.

## **4. Certificate Life-Cycle Operational Requirements**

### **4.1 Certificate Application**

#### **4.1.1 Who Can Submit a Certificate Application**

(1) Domain Validation

A person who is a registrant of the domain name to be described in a certificate or has been granted an exclusive right to use the domain name by the registrant may apply for the certificate.

(2) Organization Validation

A person who is an individual having his/her address within Japan, or an organization having its head office or principal office, branch office or subdivision, place of business, or other equivalent permanent place to the foregoing within Japan, whether incorporated or unincorporated, may apply for the certificate.

#### **4.1.2 Enrollment Process and Responsibilities**

Each person who may apply for a certificate and intends to do so shall apply for the certificate after consenting to the provisions of the Terms and Conditions, this CP, and the CPS. Each person applying for a certificate must assure that the information provided in the Certificate Application submitted to the CA is accurate.

### **4.2 Certificate Application Processing**

#### **4.2.1 Performing Identification and Authentication Functions**

The CA shall review application information by considering the information in the manner set forth in “3.2 Initial Identity Validation” of this CP.

#### **4.2.2 Approval or Rejection of a Certificate Application**

On approving any certificate application as a result of the review, the CA shall proceed to the issuance registration of the certificate.

If any certificate application is not complete, the CA shall reject the application and request the person who has submitted the application to submit an application again after correction or addition.

#### **4.2.3 Time to Process Certificate Applications**

After approving a certificate application, the CA shall proceed to the issuance registration of the certificate in a timely manner.



#### **4.2.4 Check of CAA Records**

In reviewing the application information, the CA shall check the CAA records in accordance with RFC 6844. The domain of the CA to be described in the CAA records shall be “jprs.jp.”

### **4.3 Certificate Issuance**

#### **4.3.1 CA Actions during Certificate Issuance**

After completing a review of a certificate application, the CA shall register information that is based on the application information and necessary for the issuance of a certificate, on a CT log server operated by a third party and prescribed by the CA, and then issue the certificate. The information to be registered on the CT log server shall be as described in “7.1 Certificate Profile” of this CP.

#### **4.3.2 Notification to Subscriber of Certificate Issuance**

The CA shall notify a Subscriber of the issuance of a certificate by sending an e-mail to the Designated Business Enterprise or the Subscriber. However, if the certificate issued under ACME protocol, no notification sending an e-mail.

### **4.4 Certificate Acceptance**

#### **4.4.1 Conduct Constituting Certificate Acceptance**

The Subscriber shall be deemed to have accepted the certificate at any of the following time;

1. When the Subscriber request to get the certificate from the subscriber-only web page and the CA responses the Certificate.
2. When he subscriber request to get the certificate under ACME protocol and the CA responses the Certificate. However, only for certificates issued under ACME protocol.
3. When the subscriber install the certificate obtained by a method other than 1 and 2 into his/her/its server.

#### **4.4.2 Publication of the Certificates by the CA**

The CA does not publish certificates of Subscribers.

#### **4.4.3 Notification of Certificate Issuance by the CA to Other Entities**

The CA does not notify any third party (excluding Designated Business Enterprises) of the issuance of certificates.

### **4.5 Key Pair and Certificate Usage**

#### **4.5.1 Subscriber Private Key and Certificate Usage**

Each Subscriber may use his/her/its certificate issued by the CA and the corresponding Private Key solely for encrypting information for server authentication and on communication pathways, and not for any other usage.

#### **4.5.2 Relying Party Public Key and Certificate Usage**

Relying Parties may verify the reliability of certificates issued by the CA by using such certificates. Relying Parties shall understand and consent to the provisions of this CP and the CPS before verifying the reliability of certificates issued by the CA and relying on the same.

### **4.6 Certificate Renewal**

A “certificate renewal” means the issuance of a new certificate to a Subscriber without any change in his/her/its Public Key. When a Subscriber has his/her/its certificate renewed, the CA recommends that the Subscriber generate a new Key Pair.

#### **4.6.1 Circumstances for Certificate Renewal**

A certificate may be renewed without involving rekey when the certificate is about to expire.

#### **4.6.2 Who May Request Renewal**

The provisions of “4.1.1 Who Can Submit a Certificate Application” of this CP shall apply correspondingly.

#### **4.6.3 Processing Certificate Renewal Requests**

The provisions of “4.3.1 CA Actions during Certificate Issuance” of this CP shall apply correspondingly.

#### **4.6.4 Notification of New Certificate Issuance to Subscriber**

The provisions of “4.3.2 Notification to Subscriber of Certificate Issuance” of this CP shall apply correspondingly.

#### **4.6.5 Conduct Constituting Acceptance of a Renewal Certificate**

The provisions of “4.4.1 Conduct Constituting Certificate Acceptance” of this CP shall apply correspondingly.

#### **4.6.6 Publication of the Renewal Certificate by the CA**

The provisions of “4.4.2 Publication of the Certificates by the CA” of this CP shall apply correspondingly.

#### **4.6.7 Notification of Certificate Issuance by the CA to Other Entities**

The provisions of “4.4.3 Notification of Certificate Issuance by the CA to Other Entities” of this CP shall apply correspondingly.

### **4.7 Certificate Re-key**

A “certificate re-key” means the issuance of a new certificate to a Subscriber after generating a new Key Pair.

#### **4.7.1 Circumstances for Certificate Re-key**

A certificate may be renewed without involving re-key when the certificate is about to expire.

#### **4.7.2 Who May Request Certification of a New Public Key**

The provisions of “4.1.1 Who Can Submit a Certificate Application” of this CP shall apply correspondingly.

#### **4.7.3 Processing Certificate Re-keying Requests**

The provisions of “4.3.1 CA Actions during Certificate Issuance” of this CP shall apply correspondingly.

#### **4.7.4 Notification of New Certificate Issuance to Subscriber**

The provisions of “4.3.2 Notification to Subscriber of Certificate Issuance” of this CP shall apply correspondingly.

#### **4.7.5 Conduct Constituting Acceptance of a Re-keyed Certificate**

The provisions of “4.4.1 Conduct Constituting Certificate Acceptance” of this CP shall apply correspondingly.

#### **4.7.6 Publication of the Re-keyed Certificates by the CA**

The provisions of “4.4.2 Publication of the Certificates by the CA” of this CP shall apply correspondingly.

#### **4.7.7 Notification of Certificate Issuance by the CA to Other Entities**

The provisions of “4.4.3 Notification of Certificate Issuance by the CA to Other Entities” of this CP shall apply correspondingly.

### **4.8 Certificate Modification**

#### **4.8.1 Circumstances for Certificate Modification**

If a need arises to modify any registered information in a certificate (excluding the common name used in the certificate), the certificate shall be modified.

## **4.8.2 Who May Request Certificate Modification**

The provisions of “4.1.1 Who Can Submit a Certificate Application” of this CP shall apply correspondingly.

## **4.8.3 Processing Certificate Modification Requests**

The provisions of “4.3.1 CA Actions during Certificate Issuance” of this CP shall apply correspondingly.

## **4.8.4 Notification of New Certificate Issuance to Subscriber**

The provisions of “4.3.2 Notification to Subscriber of Certificate Issuance” of this CP shall apply correspondingly.

## **4.8.5 Conduct Constituting Acceptance of Modified Certificate**

The provisions of “4.4.1 Conduct Constituting Certificate Acceptance” of this CP shall apply correspondingly.

## **4.8.6 Publication of the Modified Certificate by the CA**

The provisions of “4.4.2 Publication of the Certificates by the CA” of this CP shall apply correspondingly.

## **4.8.7 Notification of Certificate Issuance by the CA to Other Entities**

The provisions of “4.4.3 Notification of Certificate Issuance by the CA to Other Entities” of this CP shall apply correspondingly.

## **4.9 Certificate Revocation and Suspension**

### **4.9.1 Circumstances for Certificate Revocation**

If any one of the following events occurs, the Subscriber must apply to the CA to have the corresponding certificate revoked:

- the information described in the certificate has changed;
- the Private Key has been or may be compromised for any reason, including theft, loss, leakage, or unauthorized use thereof;
- any of the particulars described in the certificate or its purposes of use are incorrect;
- the Subscriber finds that an improper string has been designated for, or is included in, a value set in any information in the certificate (as set forth in “3.1.1 Types of Names” of this CP) (for Organization Validation only); or
- the Subscriber stops using the certificate.

If any of the following events occurs, the CA may revoke the certificate at the CA's

discretion:

- the Subscriber has not performed any of his/her/its obligations under this CP, the CPS, or any relevant agreement or law;
- the CA determines that the CA's Private Key has been or may be compromised;
- the CA learns that an improper string has been designated for, or is included in, a value set in any information in the certificate (as set forth in "3.1.1 Types of Names" of this CP), on the basis of reasonable evidence (for Organization Validation only);
- any other situation arises that the CA deems to necessitate revocation.

#### **4.9.2 Who Can Request Revocation**

The following can request the Revocation Request;

1. The Subscriber
2. Designated Business Enterprise that has acted as an agent in the application for issuance of the certificate or use of services.
3. Owner of the private key for the Certificate.

#### **4.9.3 Procedures for Revocation Request**

The CA SHALL accept the Revocation Request received in one of the follow way, and revoke the certificate after verification the Revocation Request by section 3.4.

1. Request through Designated Business Enterprise
2. Request under ACME protocol

4.9.4 Revocation Request Grace Period  
If someone who can request revocation determines that the Private Key has been or may be compromised, he/she/it must promptly file the Revocation Request of the certificate.

#### **4.9.5 Time within Which the CA Shall Process the Revocation Request**

Upon accepting a valid Revocation Request of a certificate, the CA shall promptly process the Revocation Request and reflect the relevant information in the certificate on the CRL.

#### **4.9.6 Revocation Checking Requirement for Relying Parties**

A URL in which the CRL is stored shall be described in a certificate to be issued by the CA. Before placing trust in and using a certificate issued by the CA, the Relying Party must verify the validity of the certificate by checking the CRL. CRLs do not contain information on certificates that have expired.

#### **4.9.7 CRL Issuance Frequency**

The CA SHALL update and reissue CRLs at least once every seven days, and the value

of the nextUpdate field MUST NOT be more than ten days beyond the value of the thisUpdate field.

#### **4.9.8 Maximum Latency for CRLs**

The CA shall forthwith reflect an issued CRL in the Repository.

#### **4.9.9 On-line Revocation/Status Checking Availability**

Information on the certificate status shall be provided online via the OCSP server.

#### **4.9.10 On-line Revocation/Status Checking Requirements**

Before placing trust and using a certificate issued by the CA, the Relying Party must verify the validity of the certificate. If any Relying Party does not confirm whether or not the revocation of the certificate has been registered by checking the CRL included in the Repository, the Relying Party shall check the information on the certificate status provided through the OCSP server.

#### **4.9.11 Other Forms of Revocation Advertisements Available**

Not applicable.

#### **4.9.12 Special Requirements Regarding Key Compromise**

If a compromise of any Private Key pertaining to a certificate issued by the CA is revealed, please notify via the following webform:

[https://jprs.jp/pubcert/f\\_mail/](https://jprs.jp/pubcert/f_mail/)

Please include either of the following information in your report.

- The compromised private key itself
- A CSR signed by the compromised private key

(A CSR must contain a string indicating that a private key has been compromised in the "CN" field. e.g. CN="This key is compromised")

The CA shall verify whether any of the certificates issued by the CA use the presented private key. Upon confirmation of a certificate that uses the presented private key, the CA shall revoke the certificate within 24 hours from the time of confirmation.

#### **4.9.13 Circumstances for Suspension**

Not applicable.

#### **4.9.14 Who Can Request Suspension**

Not applicable.

#### **4.9.15 Procedures for Suspension Request**

Not applicable.

#### **4.9.16 Limits on Suspension Period**

Not applicable.

### **4.10 Certificate Status Services**

#### **4.10.1 Operational Characteristics**

Subscribers and Relying Parties may check information on the status of a certificate through the OCSP server.

#### **4.10.2 Service Availability**

The CA shall manage the OCSP server to allow Subscribers and Relying Parties to check information on the status of a certificate twenty-four (24) hours a day, three hundred sixty-five (365) days a year. However, the OCSP server may be temporarily unavailable at times for maintenance or other reasons.

#### **4.10.3 Optional Features**

No stipulation.

### **4.11 End of Subscription (Registration)**

If a Subscriber ceases to use his/her/its certificate, or cancels the Services, the Subscriber shall request for revocation of his/her/its certificate. If a Subscriber fails to carry procedures for certificate renewal and his/her/its certificate expires, the certificate registration shall terminate.

However, the CA may treat a Subscriber who has been issued a certificate under ACME protocol differently from the above. Other details regarding the cancellation of the Service by the Subscriber are specified in the Term and Conditions.

### **4.12 Key Escrow and Recovery**

#### **4.12.1 Key Escrow and Recovery Policy and Practices**

The CA does not escrow the Private Keys of Subscribers.

#### **4.12.2 Session Key Encapsulation and Recovery Policy and Practices**

Not applicable.

## **5. Facility, Management, and Operational Controls**

### **5.1 Physical Security Controls**

Stipulated in the CPS.

### **5.2 Procedural Controls**

Stipulated in the CPS.

### **5.3 Personnel Controls**

Stipulated in the CPS.

### **5.4 Audit Logging Procedures**

#### **5.4.1 Types of Events Recorded**

Stipulated in the CPS.

#### **5.4.2 Frequency of Processing Audit Log**

Stipulated in the CPS.

#### **5.4.3 Retention Period for Audit Log**

Stipulated in the CPS. Audit Logs on the RA system shall be archived for at least seven (7) years.

#### **5.4.4 Protection of Audit Log**

Stipulated in the CPS.

#### **5.4.5 Audit Logs Backup Procedure**

Stipulated in the CPS.

#### **5.4.6 Audit Log Collection System**

Stipulated in the CPS.

#### **5.4.7 Notification to Event-Causing Subject**

Stipulated in the CPS.

#### **5.4.8 Vulnerability Assessments**

Stipulated in the CPS.

### **5.5 Records Archival**

#### **5.5.1 Types of Records Archived**

The CA shall archive the following information in addition to the information prescribed



in “5.5 Records Archival” of the CPS:

- this CP;
- documents prepared under this CP stipulating the business operations of the Certification Authority;
- records and audit reports on the results of audits; and
- information on applications from Subscribers and the histories thereof.

### **5.5.2 Retention Period for Archive**

Stipulated in the CPS. The CA shall archive the following information for at least seven (7) years:

- this CP;
- documents prepared under this CP stipulating the business operations of the Certification Authority;
- records and audit reports on the results of audits; and
- information on applications from Subscribers and the histories thereof.

### **5.5.3 Protection of Archive**

Stipulated in the CPS.

### **5.5.4 Archive Backup Procedures**

Stipulated in the CPS.

### **5.5.5 Requirements for Time-Stamping of Records**

Stipulated in the CPS.

### **5.5.6 Archive Collection System**

Stipulated in the CPS.

### **5.5.7 Procedures to Obtain and Verify Archive Information**

Stipulated in the CPS.

## **5.6 Key Changeover**

Before the validity period of a certificate relevant to the CA’s own Private Key becomes shorter than the maximum validity period of certificates issued to Subscribers, a new Private Key for the CA shall be generated and a certificate relevant thereto shall be issued. Once the new Private Key has been generated, the CA shall issue certificates and CRLs using the new Private Key.

## **5.7 Compromise and Disaster Recovery**

Stipulated in the CPS.

## **5.8 CA or RA Termination**

If the CA is required to suspend its operations as a Certification Authority or Registration Authority, the CA shall notify Subscribers to that effect in advance by any of the means set forth in “9.11 Individual Notices and Communications with Participants.”

## 6. Technical Security Controls

### 6.1 Key Pair Generation and Installation

#### 6.1.1 Key Pair Generation

“6.1.1 Generation of Key Pairs” of the CPS stipulates a policy on Private Keys of the CA.

#### 6.1.2 Private Key Delivery to Subscriber

Each Subscriber’s Private Key shall be generated by the Subscriber himself/herself/itself. The CA does not generate or deliver the Private Keys of Subscribers to Subscribers.

#### 6.1.3 Public Key Delivery to the Certificate Issuer

A Subscriber shall deliver his/her/its Public Key to the CA online when applying for his/her/its certificate. The communication pathways for such delivery shall be encrypted by the TLS.

#### 6.1.4 CA’ Public Key Delivery to Relying Parties

Relying Parties may obtain Public Keys of the CA by accessing the CA’s Repository.

#### 6.1.5 Key Sizes

Key Pairs of the CA shall have a key length of 2048 bits in the RSA cryptosystem. Key Pairs of Subscribers shall have a key length of 2048 bits in the RSA cryptosystem.

#### 6.1.6 Public Key Parameters Generation and Quality Checking

Stipulated in the CPS. No policy is stipulated on the generation and quality inspection of the Public Key parameters of Subscribers.

#### 6.1.7 Key Usage Purposes

The following table summarizes the usages of keys intended by the CA and by certificates issued by the CA :

Table 6.1 Key Usage Purposes

	the CA	Certificates issued by the CA
digitalSignature	—	yes
nonRepudiation	—	—
keyEncipherment	—	yes
dataEncipherment	—	—

keyAgreement	—	—
keyCertSign	yes	—
cRLSign	yes	—
encipherOnly	—	—
decipherOnly	—	—

## **6.2 Private Key Protection and Cryptographic Module Engineering Controls**

Stipulated in the CPS.

## **6.3 Other Aspects of Key Pair Management**

Stipulated in the CPS.

## **6.4 Activation Data**

Stipulated in the CPS.

## **6.5 Computer Security Controls**

Stipulated in the CPS.

## **6.6 Life Cycle Technical Controls**

Stipulated in the CPS.

## **6.7 Network Security Controls**

Stipulated in the CPS.

## **6.8 Time Stamping**

Stipulated in the CPS.

## 7. Certificate, CRL, and OCSP Profiles

### 7.1 Certificate Profile

#### 7.1.1 Subscriber Certificate Profile

The profile of digital certificates to be issued by the CA shall be as described in the following table.

After registering the information necessary for issuing a certificate on the CT log server operated by a third party and prescribed by the CA, the CA shall issue a certificate compliant with the CT.

Table 7.1.1.1 (Deleted)

Table 7.1.1.2 Subscriber Certificate Profile (applicable to certificates issued on or after July 29, 2020)

Basic field		Description of setting	critical
Version		Version 3	-
Serial Number		An integral serial number to be assigned by the CA to the certificate	-
Signature Algorithm		sha256 with RSA Encryption	-
Issuer	Country	C=JP	-
	Organization	O=Japan Registry Services Co., Ltd.	-
	Common Name	(1) Domain Validation CN=JPRS Domain Validation Authority - G4  (2) Organization Validation CN=JPRS Organization Validation Authority - G4	-
Validity	NotBefore	E.g.) 2008/3/1 00:00:00 GMT	-
	NotAfter	E.g.) 2009/3/1 00:00:00 GMT	-
Subject	Country	(1) Domain Validation No description  (2) Organization Validation C=JP as the address of the organization or individual (country)	-
	State or Province	(1) Domain Validation No description	-

		(2) Organization Validation Address of the organization or individual (prefecture name) (mandatory)	
	Locality	(1) Domain Validation No description (2) Organization Validation Address of the organization or individual (city, town, or village name) (mandatory)	-
	Organization	(1) Domain Validation No description (2) Organization Validation Name of the Subscriber or the Subscriber's organization (mandatory)	-
	Organizational Unit	(1) Domain Validation No description (2) Organization Validation Business division name of the Subscriber (voluntary). However, this item will not be included in certificates issued on or after 2021-11-18. ● A string comprising symbols only or spaces only may not be designated, and any of the following strings may not be included: <ul style="list-style-type: none"> <li>• any name, company name, trade name, or trademark that is likely to cause others to misconstrue that the relevant information is the information of any organization other than the applicant organization;</li> <li>• any string indicating a legal personality, such as "Co., Ltd";</li> <li>• any string referring to a specific natural person;</li> </ul>	-

		<ul style="list-style-type: none"> <li>• any string indicating an address;</li> <li>• any phone number;</li> <li>• any domain name or IP address; or</li> <li>• any string meaning “blank”, “not applicable” or the like (“null”, “N/A” or the like)</li> </ul>	
	Common Name	A host name used in the DNS of the server in which the certificate is scheduled to be installed (mandatory)	-
Subject Public Key Info		The subject’s Public Key (2048 bits)	-
Extended field		Description of setting	critical
KeyUsage		digitalSignature, keyEncipherment	y
ExtendedKeyUsage		TLS Web Server Authentication	n
Subject Alt Name		dNSName= name(s) of the server(s)	n
CertificatePolicies		[1] Certificate Policy 1.3.6.1.4.1.53827.1.1.4 CPS <a href="http://jprs.jp/pubcert/info/repository/">http://jprs.jp/pubcert/info/repository/</a> [2] Certificate Policy (1) Domain Validation 2.23.140.1.2.1 (2) Organization Validation 2.23.140.1.2.2	n
CRL Distribution Points		(1) Domain Validation <a href="http://repo.pubcert.jprs.jp/sppca/jprs/dvca_g4/fullcr1.crl">http://repo.pubcert.jprs.jp/sppca/jprs/dvca_g4/fullcr1.crl</a> (2) Organization Validation <a href="http://repo.pubcert.jprs.jp/sppca/jprs/ovca_g4/fullcr1.crl">http://repo.pubcert.jprs.jp/sppca/jprs/ovca_g4/fullcr1.crl</a>	n
Authority Information Access		[1] ocs1 (1.3.6.1.5.5.7.48.1) (1) Domain Validation <a href="http://dv.g4.ocs1.pubcert.jprs.jp">http://dv.g4.ocs1.pubcert.jprs.jp</a> (2) Organization Validation <a href="http://ov.g4.ocs1.pubcert.jprs.jp">http://ov.g4.ocs1.pubcert.jprs.jp</a> [2] ca issuers (1.3.6.1.5.5.7.48.2)	n

	(1) Domain Validation http://repo.pubcert.jp/sppca/jprs/dvca_g4/JPRS_DVCA_G4_DER.cer (2) Organization Validation http://repo.pubcert.jp/sppca/jprs/ovca_g4/JPRS_OVCA_G4_DER.cer	
Authority Key Identifier	SHA-1 hash for the issuer's Public Key (160 bits)	n
Subject Key Identifier	SHA-1 hash for the subject's Public Key (160 bits)	n
Certificate Transparency Timestamp (*) (1.3.6.1.4.1.11129.2.4.2)	Value of SignedCertificateTimestampList	n

\*: A Certificate Transparency Timestamp is not registered on the CT log server operated by a third party and prescribed by the CA at the time of certificate issuance. Other information in the profile of certificates shall be registered on the CT log server.

### 7.1.2 Subordinate CA Certificate Profile

The profile of intermediate certificates to be issued by the CA shall be as described in the following table:

Table 7.1.2.1 (Deleted)

Table 7.1.2.2 (Deleted)

Table 7.1.2.3 Subordinate CA Certificate Profile (applicable to certificates issued on or after July 29, 2020)

Basic field		Description of setting	critical
Version		Version 3	-
Serial Number		An integral serial number to be assigned by the CA to the certificate	-
Signature Algorithm		sha256 With RSA Encryption	-
Issuer	Country	C=JP	-
	Organization	O=SECOM Trust Systems CO.,LTD.	-
	Common Name	OU=Security Communication RootCA2	-
Validity	NotBefore	E.g.) 2008/3/1 00:00:00 GMT	-
	NotAfter	E.g.) 2009/3/1 00:00:00 GMT	-



Subject	Country	C=JP	-
	Organization	O=Japan Registry Services Co., Ltd.	-
	Common Name	(1) Organization Validation CN=JPRS Organization Validation Authority - G4 (2) Domain Validation CN=JPRS Domain Validation Authority - G4	-
Subject Public Key Info		The subject's Public Key (2048 bits)	-
Extended field		Description of setting	critical
Authority Key Identifier		SHA-1 hash for the issuer's Public Key (160 bits)	n
Subject Key Identifier		SHA-1 hash for the subject's Public Key (160 bits)	n
KeyUsage		Certificate Signing Off-line CRL Signing CRL Signing (06)	y
CertificatePolicies		Certificate Policy 1.2.392.200091.100.901.4 CPS http://repository.secomtrust.net /SC-Root2/	N
Basic Constraints		Subject Type=CA Path Length Constraint=0	y
ExtendedKeyUsage		TLS Web Server Authentication	n
CRL Distribution Points		http://repository.secomtrust.net/SC- Root2/SCRoot2CRL.crl	n
Authority Information Access		[1] ocsf (1.3.6.1.5.5.7.48.1) http://scrootca2.ocsf.secomtrust.net [2] ca issuers (1.3.6.1.5.5.7.48.2) http://repository.secomtrust.net/SC- Root2/SCRoot2ca.cer	n

## 7.2 CRL Profile

The profile of CRLs to be issued by the CA shall be as described in the following table:

Table 7.2.1 (Deleted)

Table 7.2.2 CRL Profile (applicable to certificates issued on or after July 29, 2020)

Basic field		Description of setting	critical
Version		Version 2	-
Signature Algorithm		SHA256 with RSAEncryption	-
Issuer	Country	C=JP	-
	Organization	O= Japan Registry Services Co., Ltd.	-
	Common Name	(1) Domain Validation CN=JPRS Domain Validation Authority - G4  (2) Organization Validation CN=JPRS Organization Validation Authority - G4	-
This Update		E.g.) 2008/3/1 00:00:00 GMT	-
Next Update		E.g.) 2008/3/5 00:00:00 GMT	-
Revoked Certificate s	Serial Number	E.g.) 0123456789	-
	Revocation Date	E.g.) 2008/3/1 00:00:00 GMT	-
	Reason Code	Circumstances for certificate revocation (*)	-
Extended field		Description of setting	critical
CRL Number		CRL number	n
Authority Key Identifier		SHA-1 hash for the issuer's Public Key (160 bits)	n

\*: If the reason is “unspecified”, the “Reason Code” field does not appear in the CRL profile.

### 7.3 OCSP Profile

The profile of the OCSP to be issued by the CA shall be as described in the following table:

Table 7.3.1 (Deleted)

Table 7.3.2 OCSP Profile (Applicable to certificates issued on or after July 29, 2020)

Basic field		Description of setting	critical
Version		Version 3	-
Serial Number		An integral serial number to be assigned by the CA	-

Signature Algorithm		sha256 With RSA Encryption	-
Issuer	Country	C=JP	-
	Organization	O= Japan Registry Services Co., Ltd.	-
	Common Name	(1) Domain Validation CN=JPRS Domain Validation Authority - G4  (2) Organization Validation CN=JPRS Organization Validation Authority – G4	-
Validity	NotBefore	E.g.) 2008/3/1 00:00:00 GMT	-
	NotAfter	E.g.) 2008/3/5 00:00:00 GMT	-
Subject	Country	C=JP (fixed value)	-
	Organization	Japan Registry Services Co., Ltd. (fixed value)	-
	Common Name	Name of the OCSP server (mandatory)	-
Subject Public Key Info		The subject's Public Key (2048 bits)	-
Extended field		Description of setting	critical
Authority Key Identifier		SHA-1 hash for the issuer's Public Key (160 bits)	n
Subject Key Identifier		SHA-1 hash for the subject's Public Key (160 bits)	n
KeyUsage		digitalSignature	y
CertificatePolicies		Certificate Policy 1.3.6.1.4.1.53827.1.1.4 CPS <a href="http://jprs.jp/pubcert/info/repository/">http://jprs.jp/pubcert/info/repository/</a>	n
ExtendedKeyUsage		OCSPSigning	n
OCSP No Check		null	n

### 7.3.1 Version Number(s)

The CA shall apply OCSP Version 1.

### 7.3.2 OCSP Extensions

No stipulation.

## **8. Compliance Audit and Other Assessments**

### **8.1 Frequency and Circumstances of Assessment**

JPRS shall perform audits at least once a year to verify whether or not the CA is operated in compliance with this CP and the CPS.

### **8.2 Identity/Qualifications of Assessor**

Compliance audits shall be performed by auditors who are adequately experienced in auditing.

Audits required for obtaining the WebTrust certification shall be performed by audit corporations.

### **8.3 Assessor's Relationship to Assessed Entity**

Auditors shall be operationally independent of the auditee divisions, except in matters related to the audits.

### **8.4 Topics Covered by Assessment**

Audits shall be performed mainly to verify whether or not the CA is operated in compliance with this CP and the CPS, based on the WebTrust for CA and the WebTrust for BR, the criteria for Certification Authorities.

### **8.5 Actions Taken as a Result of Deficiency**

The CA shall promptly take necessary corrective actions with respect to any deficiencies pointed out in an audit report.

### **8.6 Communication of Results**

Auditors shall report the audit results to the CA.

The CA will not externally disclose the audit results unless the CA is required to disclose the same under any law, or by an associated organization based on an agreement with JPRS, or unless such disclosure has been approved by the CA's Certificate Operation Conference.

Reports on validation under the WebTrust for CA and the WebTrust for BR shall be made referable in a specific site according to the provisions of the respective guidelines of the WebTrust for CA and the WebTrust for BR.

### **8.7 Self-Audits**

The CA shall perform regular internal audits to verify and validate whether or not the CA is operated in compliance with this CP, the CPS, and the Baseline Requirements through random sampling of certificates under the requirements stipulated in the

Baseline Requirements.

## **9. Other Business and Legal Matters**

### **9.1 Fees**

To be separately stipulated.

### **9.2 Financial Responsibility**

The CA shall maintain a sufficient financial foundation required for operating and maintaining the CA.

### **9.3 Confidentiality of Business Information**

#### **9.3.1 Scope of Confidential Information**

Stipulated in the CPS.

#### **9.3.2 Information not within the Scope of Confidential Information**

Stipulated in the CPS.

#### **9.3.3 Responsibility to Protect Confidential Information**

Stipulated in the CPS.

### **9.4 Privacy of Personal Information**

Stipulated in the CPS.

### **9.5 Intellectual Property Rights**

Unless separately agreed, all intellectual property rights pertaining to the following information shall belong to JPRS:

- certificates and site seals issued by the CA, as well as information on certificate revocation;
- this CP, the CPS, and related documents;
- Public Keys and Private Keys of the CA; and
- software provided by JPRS.

### **9.6 Representations and Warranties**

#### **9.6.1 CA Representations and Warranties**

The CA shall bear the following obligations in performing its business operations as the CA:

- securely generate and manage the CA's Private Keys;
- accurately manage certificate issuance and revocation based on applications from the RA;

- monitor and operate the CA's system at work; and
- issue and publish the CRLs.

### **9.6.2 RA Representations and Warranties**

The CA shall bear the following obligations in performing its business operations as an RA:

- install registration terminals in a secure environment and operate them;
- accurately communicate information to the CA in processing applications for certificate issuance and revocation;
- promptly communicate information to the CA during operating hours in processing applications for certificate revocation; and
- maintain and administer the Repository.

### **9.6.3 Subscriber Representations and Warranties**

Each Subscriber warrants that he/she/it will comply with the provisions of the Terms and Conditions and this CP. If any Subscriber fails to comply with any provision of the Terms and Conditions or this CP, the Subscriber shall assume all responsibilities therefor.

### **9.6.4 Relying Party Representations and Warranties**

Each Relying Party warrants that he/she/it will comply with the provisions of this CP. If any Relying Party fails to comply with any provision of this CP, the Relying Party shall assume all responsibilities therefor.

### **9.6.5 Representations and Warranties of Other Participants**

No stipulation.

## **9.7 Disclaimer of Warranties**

The CA is not liable for any indirect, special, incidental, or consequential damage arising in connection with any of the warranties stipulated in “9.6.1 CA Representations and Warranties” of this CP, or for lost profits, loss of data, or any other indirect or consequential damage whatsoever.

## **9.8 Limitations of Liability**

The CA is not liable for the provisions of “9.6.1 CA Representations and Warranties” of this CP if damage falling under any of the following occurs:

- any or all damage arising from any unlawful conduct, unauthorized use, negligence, or any other cause not attributable to the CA;
- any damage resulting from a failure of a Subscriber to perform any of his/her/its

obligations;

- any or all damage arising from any cause attributable to a Subscriber's system;
- any damage arising from any defect or malfunction, or operation, of the hardware or software of the CA or a Subscriber;
- any damage caused by any information published in a certificate or the CRL, for any reason not attributable to the CA;
- any or all damage incurred by a failure in normal communication caused by any reason not attributable to the CA;
- any or all damage arising in connection with the use of a certificate, such as business debts;
- any damage caused by an improvement, beyond expectations at this point in time, in the cryptographic algorithm decoding capabilities of hardware or software;
- any or all damage caused by the suspension of the CA's business operations due to a force majeure event, including, but not limited to, any act of God, earthquake, volcanic eruption, fire, tsunami, flood disaster, lightning strike, war, civil commotion or terrorism; or
- any or all damage arising concomitantly with, or in connection with, registration and publication on the CT log server of information necessary for certificate issuance.

## **9.9 Indemnities**

Each Subscriber shall become liable to indemnify and hold harmless the CA or any organizations or other entities related to the CA, upon applying for, receiving, and trusting certificates issued by the CA. The events to be covered by the foregoing liabilities include any loss, damage, lawsuit, mistake, omission, act, delay of, or failure in performance, or any other event that may incur cost burdens of any kind. The Terms and Conditions stipulate a policy on indemnification to Subscribers for damage.

## **9.10 Term and Termination**

### **9.10.1 Term**

This CP shall come into effect upon approval by the CA's Certificate Operation Conference. This CP shall not lose its effect under any circumstances before its termination stipulated in "9.10.2 Termination" herein.

### **9.10.2 Termination**

This CP shall lose its effect upon termination of the CA, except as provided in "9.10.3



Effect of Termination and Survival” herein.

### **9.10.3 Effect of Termination and Survival**

Even in the event of termination of an agreement on use or the like between a Subscriber and the CA, or termination of the CA itself, any provisions of this CP that should survive such termination, by the nature thereof, shall continue to apply to Subscribers, Relying Parties, and the CA, regardless of the reason of such termination.

## **9.11 Individual Notices and Communications with Participants**

JPRS shall provide necessary notices to Subscribers and Relying Parties on its Web site, by e-mail, in writing, or by other means.

## **9.12 Amendments**

### **9.12.1 Procedure for Amendment**

This CP may be revised at the discretion of the CA, as appropriate, and the revised version hereof shall come into effect upon approval of the CA’s Certificate Operation Conference.

### **9.12.2 Notification Mechanism and Period**

If the CA amends this CP, the CA shall promptly publish the amended version of this CP, which shall be deemed to be a notification thereof to Subscribers.

### **9.12.3 Circumstances under Which OID Must Be Changed**

No stipulation.

## **9.13 Dispute Resolution Provisions**

If any party, for the purpose of resolving a dispute over the use of a certificate, seeks to file a lawsuit, refer the dispute to arbitration, or take any other legal action against the CA, such party shall notify the CA to that effect in advance. The Tokyo District Court shall have the agreed exclusive jurisdiction over all disputes involving the Services in the first instance.

## **9.14 Governing Law**

Regardless of the respective addresses of the CA and Subscribers, the laws of Japan shall apply to any dispute over the interpretation or validity of this CP, or the use of a certificate.

## **9.15 Compliance with Applicable Laws**

No stipulation.

## **9.16 Miscellaneous Provisions**

Stipulated in the CPS.

## **9.17 Other Provisions**

Not applicable.